



Numero Ordine: 23191580

Campo testo libero 2: 19,0 Zoll (4:3) Panel-PC, Intel Celeron N2930

Produttore: TL Electronic, Bergkirchen-Feldgeding

R19IB7T-OFM1_PMA

Prezzo su richiesta

Prezzi più IVA [più spese di spedizione](#)

Tempi di consegna: su richiesta

Informazione prodotto "R19IB7T-OFM1_PMA"

Built-in Panel PC for professional use Industrial Panel PC in sturdy steel sheet design Robust aluminium front panel (IP65 protected) Designed for industrial applications in continuous operation Panelmount installation with rear screwed bolts Long-term availability

article group specification:	2319
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	WM-Serie
Manufacturer item number:	R19IB7T-OFM1
mechanics:	Panel Mount
dimensions width:	48,3
dimensions height:	39,9
dimensions depth:	8
Material housing:	Stahlblech / steel sheet
Material Front :	Aluminium / aluminum
protection front:	IP65
protection device:	IP20
colour:	RAL 7035 / light grey
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 75 x 75 mm, 100 x 100 mm
mounting:	Einbau von vorne / front installation
cooling:	lüfterlos / fanless
Display-diagonal (inch):	19
aspect ratio:	4:3
resolution:	1280 x 1024

brightness:	250 cd/m²
contrast:	1000:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Resistive / Glas (optional)
Touch Interface:	USB oder RS-232
Manufacturer controller:	Premier
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, 4-pin
input:	60 Watt
VGA:	1 x 15-pin D-sub
USB:	1 x USB 3.0, 5 x USB 2.0
serial:	2 x RS-232, 1 x RS232/422/485
Audio:	1 x Line-in (3,5 mm), 2 x Speaker
LAN:	2x RJ45 - 10/100/1000 Mbps
PS/2:	2x Mini-DIN
Mainboard form factor:	Mini-ITX
chipset:	Intel System on chip
CPU Typ:	Celeron Bay Trail-M
CPU Model:	N2930
CPU 64bit:	Ja
CPU speed:	1,8 GHz
CPU cores:	4
CPU socket:	CPU Onboard
RAM size (MB):	4096
RAM max. size (MB):	8192
RAM Number of benches:	1
RAM Typ:	SO-DDR3
RAM speed:	1600
Grafik Controller:	Intel HD Graphics Z3700 series
Audio Controller:	Realtek ALC886 HD Codec
safety:	TPM 1.2
connections SATA:	1
CPU class:	Atom / Celeron
SSD design:	mSATA
SSD capacity (GB):	128
Ethernet connections:	2 x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
Ethernet Controller :	Intel I210-AT
MiniPCle Slot WLAN/WWAN :	1
Betriebssystem:	Optional
operating-system language version:	deutsch / english / italian
operating-system support:	Windows 7 / 8.1 / 10 IoT

operating temperatur min.:	0°C
operating temperatur max.:	50°C
warranty:	24 Monate / 24 months

Link correlati a "R19IB7T-OFM1_PMA"

- [- Avete domande relative a questo prodotto?](#)
- [- Ulteriori prodotti di TL Electronic, Bergkirchen-Feldgeding](#)

Download disponibili:

- [Download CE Konformitätserklärung DoC Panel-PC WM 19-IB70-x-y-z 20190130](#)
- [Download Drawing Panel-PC WM 19-...-PMA+PME \(Panelmount\) 190228](#)
- [Download Drawing WM 19-...-PMA+PME \(Panelmount\) Installation 190228](#)
- [Download CE_Panel-PC WM-Serie Gebrauchsanleitung 20190130](#)