



Numero Ordine: 23152097

Campo testo libero 2: 15,0 Zoll (4:3) Edelstahl-Panel-PC, Intel Celeron N2930

Produttore: TL Electronic, Bergkirchen-Feldgeding

R15IB3S-65C3

Prezzo su richiesta

Prezzi più IVA [più spese di spedizione](#)

Tempi di consegna: su richiesta

Informazione prodotto "R15IB3S-65C3"

Robust industrial Panel PC made of brushed stainless steel Protection class IP65 all around incl. interfaces Easy to clean and corrosion resistant Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Perfect for food, chemical, pharmaceutical industry, medical technology, process engineering, plant construction etc. Long-term availability

article group specification:	2315
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	ES-Serie
Manufacturer item number:	R15IB3S-65C3
mechanics:	Chassis Edelstahl / stainless steel (VES
dimensions width:	37,8
dimensions height:	30,1
dimensions depth:	6,4
Material housing:	Edelstahl / stainless steel
Material Front :	Edelstahl / stainless steel
protection front:	IP65
protection device:	IP65
colour:	Edelstahl gebürstet / brushed stainless steel
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 100 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Suppo
cooling:	lüfterlos / fanless
Display-diagonal (inch):	15
aspect ratio:	4:3
resolution:	1024 x 768

brightness:	250 cd/m²
contrast:	700:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Resistive / Glas (optional)
Touch Interface:	USB oder RS-232
Manufacturer controller:	Premier
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, IP65
input:	50 Watt
USB:	6 x USB 2.0 (4 x USB internal)
serial:	4 x RS-232 (3x Internal)
LAN:	1x RJ45 - 10/100/1000 Mbps (IP65)
Mainboard form factor:	3,5"
chipset:	Intel System on chip
CPU Typ:	Celeron Bay Trail-M
CPU Model:	N2930
CPU 64bit:	Ja
CPU cores:	4
CPU socket:	CPU Onboard
RAM size (MB):	4096
RAM max. size (MB):	8192
RAM Number of benches:	1
RAM Typ:	SO-DDR3
RAM speed:	1600
Grafik Controller:	Intel HD Graphics Z3700 series
Audio Controller:	Realtek ALC886 HD Codec
safety:	TPM 1.2
connections SATA:	1
CPU class:	Atom / Celeron
SSD design:	2.5"
SSD capacity (GB):	128
Ethernet connections:	1 x RJ-45
Ethernet data transfer:	1 x Gigabit-LAN
Ethernet Controller :	Intel I210-AT
MiniPCle Slot WLAN/WWAN :	1
Betriebssystem:	Optional
operating-system support:	Windows 7 / 8.1 / 10 IoT
operating temperatur min.:	0°C
operating temperatur max.:	45°C
warranty:	24 Monate / 24 months

Link correlati a "R15IB3S-65C3"

- [Avete domande relative a questo prodotto?](#)
- [Ulteriori prodotti di TL Electronic, Bergkirchen-Feldgeding](#)

Download disponibili:

- [Download Drawing Panel-PC WM 15-IB32-ES](#)
- [Download CE WM 15-IB32-ES-PRS](#)
- [Download Drawing Panel-PC WM 15-IB32-ES 201007](#)
- [Download CE Konformitätserklärung DoC Panel-PC WM 15-IB32-ES-x 20190130](#)
- [Download CE Panel-PC ES-Serie Gebrauchsanleitung 20190130](#)