

Numero Ordine: 23152095

Campo testo libero 2: 15,0 Zoll (4:3) Panel-PC, Intel Celeron N2930

Produttore: TL Electronic, Bergkirchen-Feldgeding



R15IB7T-CHC3

Prezzo su richiesta

Prezzi più IVA [più spese di spedizione](#)

Tempi di consegna: su richiesta

Informazione prodotto "R15IB7T-CHC3"

Chassis Panel PC for professional use Industrial Panel PC in sturdy steel sheet housing Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Long-term availability

article group specification:	2315
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	WM-Serie
Manufacturer item number:	R15IB7T-CHC3
mechanics:	Chassis (VESA-Mounting)
dimensions width:	36
dimensions height:	29
dimensions depth:	7,9
weight:	0
Material housing:	Stahlblech / steel sheet
Material Front :	Stahlblech / steel sheet
protection front:	IP54
protection device:	IP20
colour:	RAL 9004 / signal black
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 75 x 75 mm, 100 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Support arm, stand, wall mount
cooling:	lüfterlos / fanless
Display-diagonal (inch):	15
aspect ratio:	4:3

resolution:	1024 x 768
brightness:	250 cd/m²
contrast:	500:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Resistive / Glas (optional)
Touch Interface:	USB oder RS-232
Manufacturer controller:	Premier
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, 4-pin
input:	43 Watt
VGA:	1 x 15-pin D-sub
USB:	1 x USB 3.0, 3 x USB 2.0
serial:	2 x RS-232, 1 x RS232/422/485
Audio:	1 x Line-in (3,5 mm), 2 x Speaker
LAN:	2x RJ45 - 10/100/1000 Mbps
PS/2:	2x Mini-DIN
Mainboard form factor:	Mini-ITX
chipset:	Intel System on chip
CPU Typ:	Celeron Bay Trail-M
CPU Model:	N2930
CPU 64bit:	Ja
CPU cores:	4
CPU socket:	CPU Onboard
RAM size (MB):	4096
RAM max. size (MB):	8192
RAM Number of benches:	1
RAM Typ:	SO-DDR3
RAM speed:	1600
Grafik Controller:	Intel HD Graphics Z3700 series
Audio Controller:	Realtek ALC886 HD Codec
safety:	TPM 1.2
connections SATA:	1
CPU class:	Atom / Celeron
SSD design:	2.5"
SSD capacity (GB):	120
RAID-System:	Nein / no
CD/DVD-Writer :	Nein / no
Ethernet connections:	2 x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
Ethernet Controller :	Intel I210-AT
MiniPCIe Slot WLAN/WWAN :	1
Betriebssystem:	Optional

operating-system support:	Windows 7 / 8.1 / 10 IoT
operating temperatur min.:	0°C
operating temperatur max.:	50°C
warranty:	24 Monate / 24 months

Link correlati a "R15IB7T-CHC3"

- [- Avete domande relative a questo prodotto?](#)
- [- Ulteriori prodotti di TL Electronic, Bergkirchen-Feldgeding](#)

Download disponibili:

- [Download CE Konformitätserklärung DoC Panel-PC WM 15-IB70-x-y-z 20190130](#)
- [Download Drawing Panel-PC WM 15-IB70-CH \(VESA Chassis\) 190228](#)
- [Download CE_Panel-PC WM-Serie Gebrauchsanleitung 20190130](#)