



Numero Ordine: 23152144

Campo testo libero 2: 15,6 Zoll (16:9) Multitouch-Panel-PC, Intel Celeron N2930

Produttore: TL Electronic

Peso: 8 kg

W15IB3S-EHA2

Prezzo su richiesta

Prezzi più IVA [più spese di spedizione](#)

Tempi di consegna: su richiesta

Informazione prodotto "W15IB3S-EHA2"

HMI Panel PC with multitouch for professional use Industrial Panel PC in sturdy steel sheet design Robust aluminium front panel (IP65 protected) Flat PCAP glass front without dirt-collecting edges Designed for industrial applications in continuous operation Panelmount installation with rear holding clamps Long-term availability

article group specification:	2315
Manufacturer:	WM
series name:	E-Serie HMI
Manufacturer item number:	W15IB3S-EHA2
mechanics:	Panel Mount
dimensions width:	42,1
dimensions height:	26,06
dimensions depth:	6,55
Material housing:	Stahlblech / steel sheet
Material Front :	Stahlblech / steel sheet
protection front:	IP65
protection device:	IP20
colour:	RAL 7035 / light grey
controls:	2 Keys: Power, Reset
mounting:	Einbau von vorne / front installation
cooling:	aktiv / fan cooling
Display-diagonal (inch):	15,6
aspect ratio:	16:9
resolution:	1366 x 768
brightness:	400 cd/m²
contrast:	500:1
Display-Technologie:	LCD, LED Backlight

Touch-Screen or glass:	Projected Capacitive / Multi-Touch
Touch Interface:	RS-232
Manufacturer controller:	P-CAP Touchcontroller
voltage input DC:	12 V/DC
input:	23 Watt
HDMI:	1 x HDMI (Type-A)
USB:	1 x USB 3.0, 1 x USB 2.0
serial:	1 x RS-232/422/485
LAN:	2x RJ45 - 10/100/1000 Mbps
Mainboard form factor:	3,5"
chipset:	Intel System on chip
CPU Typ:	Celeron Bay Trail-M
CPU Model:	N2930
CPU 64bit:	Ja
CPU speed:	1,83 GHz
CPU cores:	4
CPU socket:	FCBGA1170
RAM size (MB):	2048
RAM max. size (MB):	4096
RAM Number of benches:	1
RAM Typ:	SO-DDR3L
RAM speed:	1066
Grafik Controller:	Intel HD Graphics Z3700 series
Audio Controller:	Realtek ALC886 HD Codec
safety:	TPM 1.2
CPU class:	Atom / Celeron
SSD design:	mSATA
SSD capacity (GB):	128
RAID-System:	Nein / no
CD/DVD-Writer :	Nein / no
Ethernet connections:	2 x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
Ethernet Controller :	Intel I210-AT
MiniPCle Slot WLAN/WWAN :	1
WLAN :	Optional / optional
Bluetooth :	Nein / no
camera:	Nein / no
Barcode Scanner:	Nein / no
RFID Reader :	Nein / no
Betriebssystem:	Optional
operating-system language version:	deutsch / english / italian
operating-system support:	Windows 7 / 8.1 / 10 IoT

operating temperatur min.:	-10°C
operating temperatur max.:	50°C
warranty:	24 Monate / 24 months

Link correlati a "W15IB3S-EHA2"

- [- Avete domande relative a questo prodotto?](#)
- [- Ulteriori prodotti di TL Electronic](#)

Download disponibili:

- [Download CE Konformitätserklärung DoC Panel-PC W15IB3S-EHxy_20190130](#)
- [Download Drawing Panel-PC W15IB3S-EHA2 190228](#)