



Numero Ordine: 23100520

Campo testo libero 1: -1

Campo testo libero 2: 10,4 Zoll (4:3) Panel-PC, Intel Celeron N2930

Produttore: Winmate

Peso: 7 kg

R10IB3S-GST2

Prezzo su richiesta

Prezzi più IVA [più spese di spedizione](#)

Tempi di consegna: su richiesta

Informazione prodotto "R10IB3S-GST2"

Rugged Panel PC for stationary and vehicle-mounted use Industrial Panel PC in sturdy steel sheet housing Protection class IP65 all around incl. Interfaces Shock and vibration resistant acc. MIL-STD-810F/G Flat PCAP glass front without dirt-collecting edges Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Long-term availability

article group specification:	2310
Manufacturer:	WM
Matchcode manufacturer:	ja
Manufacturer:	Winnate
series name:	GS-Serie
Manufacturer item number:	R10IB3S-GST2
mechanics:	Chassis (VESA-Mounting)
dimensions width:	25,24
dimensions height:	19,78
dimensions depth:	4,3
Material housing:	Stahlblech / steel sheet
Material Front :	Stahlblech / steel sheet
protection front:	IP65
protection device:	IP65
colour:	RAL 9004 / signal black
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 75 x 75 mm, 100 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Support arm, stand, wall mount
cooling:	lüfterlos / fanless
Display-diagonal (inch):	10,4
aspect ratio:	4:3
resolution:	1024 x 768

brightness:	300 cd/m ²
contrast:	2000:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Projected Capacitive / Multi-Touch
Touch Interface:	USB
Manufacturer controller:	P-CAP Touchcontroller
voltage input DC:	12 V/DC (M12 type)
external power supply:	12 V/DC, 100 - 240 V/AC, IP65
input:	20 Watt
USB:	1 x USB 2.0 (M12 type)
serial:	1 x RS-232 (M12 type)
LAN:	1x RJ45 - 10/100/1000 Mbps (M12 type)
Mainboard form factor:	3,5"
chipset:	Intel System on chip
CPU Typ:	Celeron Bay Trail-M
CPU Model:	N2930
CPU 64bit:	Ja
CPU speed:	1,83 GHz
CPU cores:	4
CPU socket:	FCBGA1170
RAM size (MB):	4096
RAM max. size (MB):	8192
RAM Number of benches:	1
RAM Typ:	SO-DDR3L
RAM speed:	1600
Grafik Controller:	Intel HD Graphics Z3700 series
Audio Controller:	Realtek ALC886 HD Codec
safety:	TPM 2.0
CPU class:	Atom / Celeron
SSD design:	mSATA
SSD capacity (GB):	128
RAID-System:	Nein / no
CD/DVD-Writer :	Nein / no
Ethernet connections:	1 x RJ-45
Ethernet data transfer:	1 x Gigabit-LAN
Ethernet Controller :	Intel I210-AT
WLAN :	Nein / no
Bluetooth :	Nein / no
camera:	Nein / no
Barcode Scanner:	Nein / no
RFID Reader :	Nein / no
Betriebssystem:	Optional

operating-system language version:	deutsch / english / italian
operating-system support:	Windows 7 / 10 IoT / Linux Ubuntu 18.04
operating temperatur min.:	-15°C
operating temperatur max.:	55°C
warranty:	24 Monate / 24 months

Link correlati a "R10IB3S-GST2"

- [- Avete domande relative a questo prodotto?](#)
- [- Ulteriori prodotti di Winmate](#)

Download disponibili:

- [Download Drawing Panel-PC R10IB3S-GST2 190228](#)