


Numero Ordine: 25080001

Campo testo libero 2: 8,0 Zoll (16:10) Vehicle Mount Computer der VMC-Se

Produttore: Winmate

Peso: 1.6 kg

FM08

Prezzo su richiesta

 Prezzi più IVA [più spese di spedizione](#)

 Pronto per la spedizione di oggi,
 tempo di consegna ca. 1-3 giorni lavorativi

Informazione prodotto "FM08"

Tablet PC with integrated keypad ready for vehicle and forklift installation Ruggedized Tablet and docking unit in sturdy magnesium alloy housing Protection class IP65 all around incl. Interfaces Shock and vibration protected (MIL-STD-810G) Antiscratch resistive touch (finger & stylus) Tablet unit with QWERTY keypad, 10 function keys and numpad SMA connector for external antenna 10-60 V input, wide operating temperature range, mounting accessories etc. Field-replaceable front unit (Tablet) reduces service costs and downtime The ideal partner for warehouse, logistics, automotive, outdoor etc. Long-term availability

article group specification:	2508
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winnate
series name:	Rugged Industrial Tablet PC
Manufacturer item number:	FM08 VMC
mechanics:	Rugged Tablet PC
dimensions width:	26,8
dimensions height:	21,4
dimensions depth:	3,2
weight:	1,6
Material housing:	Magnesium Legierung / Magnesium alloy
colour:	Schwarz / black
VESA-Mounting Interface:	VESA 75 x 75 / 100 x 100 mm
cooling:	lüfterlos / fanless
Display-diagonal (inch):	8
aspect ratio:	4:3
resolution:	800 x 600
brightness:	500 cd/m ²
contrast:	1100:1

Display-Technology:	LCD, LED Backlight
Touch-Screen :	Resistive Touch
usability:	Finger/Stift / finger/pen
CPU Typ:	Atom
CPU Model:	E3845
CPU speed:	1,91 GHz
CPU cores:	4
RAM size (MB):	4096
RAM max. Größe (MB):	8192
RAM Typ:	SO-DDR3L
RAM speed:	1600
SSD design:	M.2
SSD capacity:	64
SSD number:	1
SSD number max.:	1
RAID-System:	Nein / no
safety:	SOTI MobiControl compatible
WLAN:	Ja / yes
WLAN-Standard:	IEEE 802.11 a/b/g/n/ac
Bluetooth:	Ja / yes
WWAN:	Optional / optional
Ethernet_connections:	1x 400 Mbps LAN Port
Ethernet data transfer:	1 x Gigabit-LAN
Camera front:	Ja / yes
Camera front resolution:	2MP
Camera rear:	Nein / no
Barcode:	Nein / no
RFID:	Nein / no
Finger Print:	Nein / no
USB:	1x USB 3.0
Card Slot:	1x SD Slot
Audio:	Canbus
Power:	1x 10-60 V/DC, DC Plug
Docking connector:	1x 19-pin Docking Connector
controls:	7 Keys: Power, 6x Function
operating system:	Windows 10 IoT Enterprise
operating system optional:	Windows 7 Professional
operating temperatur min.:	-10°C
operating temperatur max.:	50°C
Shock:	MIL-STD-810G Method 516.6 Procedure I
Vibration:	MIL-STD-810G Method 514.6 Procedure I
Drop:	MIL-STD-810G Method 516.6, 4 ft to concrete

voltage input DC: 10 V-60 V

battery: 7.6V, 5800 mAh Li-Polymer Battery (2S1P)

Link correlati a "FM08"

- [Avete domande relative a questo prodotto?](#)
- [Ulteriori prodotti di Winmate](#)

Download disponibili:

- [Download CE_VMC FM08 FM10 Gebrauchsanleitung 20180114](#)
- [Download Zubehör Accessories FM08 + FM10 - Keyboard Base Plate](#)
- [Download Zubehör Accessories FM08 + FM10 - Keyboard Mounting](#)
- [Download Zubehör Accessories FM08 + FM10 - List](#)
- [Download Zubehör Accessories FM08 + FM10 - RAM Mounting](#)
- [Download CE Konformitätserklärung DoC VMC FM08](#)
- [Download Drawing Vehicle Mounted Computer FM08](#)