

Numero Ordine: 23171634

Campo testo libero 2: 17,0 Zoll (4:3) Panel-PC, Intel Celeron N2930

Produttore: TL Electronic, Bergkirchen-Feldgeding



R17IB7T-OFM1_PCA

Prezzo su richiesta

Prezzi più IVA [più spese di spedizione](#)

Tempi di consegna: su richiesta

Informazione prodotto "R17IB7T-OFM1_PCA"

Robust industrial Panel PC with all-round protection Rugged housing made of powder-coated aluminium profiles Protection class IP65 all around incl. interfaces Designed for industrial applications in continuous operation Installation through various mounting sets (optional) with internal cable routing Long-term availability

article group specification:	2317
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	ControlLine-Serie
Manufacturer item number:	R17IB7T-OFM1
mechanics:	Rugged Panel-PC
dimensions width:	52,3
dimensions height:	39,6
dimensions depth:	12
Material housing:	Aluminium / aluminium
Material Front :	Aluminium / aluminum
protection front:	IP65
protection device:	IP65
colour:	RAL 7035 / Eckprofile RAL 5010
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 75 x 75 mm, 100 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Suppo
cooling:	lüfterlos / fanless
Display-diagonal (inch):	17
aspect ratio:	4:3
resolution:	1280 x 1024

brightness:	350 cd/m²
contrast:	1000:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Resistive / Glas (optional)
Touch Interface:	USB oder RS-232
Manufacturer controller:	Premier
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, 4-pin
input:	65 Watt
VGA:	1 x 15-pin D-sub
USB:	1 x USB 3.0, 3 x USB 2.0
serial:	1 x RS-232, 1 x RS232/422/485
Audio:	Line-Out, Line-In, Mic in
LAN:	2x RJ45 - 10/100/1000 Mbps
PS/2:	2x Mini-DIN
Mainboard form factor:	Mini-ITX
chipset:	Intel System on chip
CPU Typ:	Celeron Bay Trail-M
CPU Model:	N2930
CPU 64bit:	Ja
CPU speed:	1,83 GHz
CPU cores:	4
CPU socket:	FCBGA1170
RAM size (MB):	4096
RAM max. size (MB):	8192
RAM Number of benches:	1
RAM Typ:	SO-DDR3L
RAM speed:	1600
Grafik Controller:	Intel HD Graphics Engine
Audio Controller:	Realtek ALC886 HD Codec
safety:	TPM 1.2
connections SATA:	1
CPU class:	Atom / Celeron
HDD max. number:	1
HDD connection:	SATA
HDD capacity (GB):	500
SSD design:	mSATA
SSD max. number:	1
SSD capacity (GB):	120
Ethernet connections:	2 x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
Ethernet Controller :	Intel I210-AT

MiniPCle Slot WLAN/WWAN :	1
WLAN :	Optional / optional
Betriebssystem:	Optional
operating-system support:	Windows 7 / 8.1 / 10 IoT
operating temperatur min.:	0°C
operating temperatur max.:	50°C
warranty:	24 Monate / 24 months

Link correlati a "R17IB7T-OFM1_PCA"

- [- Avete domande relative a questo prodotto?](#)
- [- Ulteriori prodotti di TL Electronic, Bergkirchen-Feldgeding](#)

Download disponibili:

- [Download CE Panel-PC WM-Serie Gebrauchsanleitung 20190130](#)
- [Download CE Konformitätserklärung DoC PPC ControlLine WM 17-IB70-x-y-z 20122020](#)
- [Download Drawing Panel-PC WM 17-IB70-PCA \(IP65\) 190228](#)