


Numero Ordine: 23220955

Campo testo libero 2: 21,5 Zoll (16:9) Panel-PC, Intel Celeron N2930

Produttore: TL Electronic, Bergkirchen-Feldgeding

W22IB7T-OFA3_PCA

Prezzo su richiesta

 Prezzi più IVA [più spese di spedizione](#)

Tempi di consegna: su richiesta

Informazione prodotto "W22IB7T-OFA3_PCA"

Robust industrial Panel PC with all-round protection Rugged housing made of powder-coated aluminium profiles Protection class IP65 all around incl. interfaces Designed for industrial applications in continuous operation Installation through various mounting sets (optional) with internal cable routing Long-term availability

article group specification:	2322
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	ControlLine-Serie
Manufacturer item number:	W22IB7T-OFA3
mechanics:	Rugged Panel-PC
dimensions width:	50,4
dimensions height:	31,8
dimensions depth:	8,3
weight:	-1
Material housing:	Aluminium / aluminium
Material Front :	Aluminium / aluminum
protection front:	IP65
protection device:	IP65
colour:	RAL 7035 / Eckprofile RAL 5010
controls:	2 Keys: Power, Reset, Status-LEDs
VESA-Mounting Interface:	Optional / optional
mounting:	Tragarm-, Standfuß-, Wandmontage / Suppo
cooling:	lüfterlos / fanless
Display-diagonal (inch):	21,5
aspect ratio:	16:9

resolution:	1920 x 1080
brightness:	250 cd/m²
contrast:	1000:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Resistive / Glas (optional)
Touch Interface:	USB oder RS-232
Manufacturer controller:	Premier
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, DC plug
input:	60 Watt
VGA:	1 x 15-pin D-sub
USB:	1 x USB 3.0, 3 x USB 2.0
serial:	2 x RS-232, 1 x RS232/422/485
Audio:	Line-Out, Line-In, Mic in
LAN:	2x RJ45 - 10/100/1000 Mbps
PS/2:	2x Mini-DIN
chipset:	Intel System on chip
CPU Typ:	Celeron Bay Trail-M
CPU Model:	N2930
CPU 64bit:	Ja
CPU speed:	1,83 GHz
CPU cores:	4
CPU socket:	CPU on Board
RAM size (MB):	8192
RAM max. size (MB):	8192
RAM Number of benches:	1
RAM Typ:	SO-DDR3L
RAM speed:	1600
Grafik Controller:	Intel HD Graphics Z3700 series
Audio Controller:	Realtek ALC886 HD Codec
safety:	TPM 1.2
connections SATA:	1
SSD design:	2.5"
SSD max. number:	1
SSD capacity (GB):	256
Ethernet connections:	2 x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
Ethernet Controller :	Intel I210-AT
MiniPCle Slot WLAN/WWAN :	2
WLAN :	Optional / optional
Betriebssystem:	Optional
operating-system language version:	deutsch / english / italian

operating-system support:	Windows 7 / 8.1 / 10 IoT
operating temperatur min.:	0°C
operating temperatur max.:	50°C
warranty:	24 Monate / 24 months

Link correlati a "W22IB7T-OFA3_PCA"

- [- Avete domande relative a questo prodotto?](#)
- [- Ulteriori prodotti di TL Electronic, Bergkirchen-Feldgeding](#)

Download disponibili:

- [Download CE Panel-PC WM-Serie Gebrauchsanleitung 20190130](#)
- [Download Drawing Panel-PC WM 22W-IB70-PCA \(IP65\) 190228](#)
- [Download CE Konformitätserklärung DoC PPC ControlLine WM 22W-IB70-x-y-z_20122020](#)