



Numero Ordine: 11200200

Campo testo libero 2: 19-Zoll / 2 HE Industrie-PC der ClassicLine-Serie

Produttore: TL Electronic

Peso: 12 kg

CL2501 - PQ370 - 2

Prezzo su richiesta

Prezzi più IVA [più spese di spedizione](#)

Tempi di consegna: su richiesta

Informazione prodotto "CL2501 - PQ370 - 2"

19-inch Industrial PC for professional use Industrial computer in sturdy steel sheet housing Aluminium front with lockable door Mainboard version (ATX) 7 x expansion slot (low profile) 2 x 80 mm front fan with exchangeable filter pad Safe fixing of all cables and moving parts Configuration and interfaces as desired Designed for industrial applications in continuous operation Ready to install for the 19-inch rack Made in Germany Long-term availability

article group specification:	112
Manufacturer:	TL
Matchcode manufacturer:	nein
Manufacturer:	TL Electronic
series name:	ClassicLine
mechanics:	19" Rack Mount
dimensions width:	48,3
dimensions height:	8,8
dimensions depth:	49
weight:	12
Material housing:	Aluminium und Stahlblech / aluminium and
Material Front :	Aluminium / aluminum
protection front:	IP54
protection device:	IP20
colour:	RAL 7035 / light grey
controls:	2 Keys: Power, Reset, Status-LEDs
VESA-Mounting Interface:	Nein / no
wall mounting:	Nein / no
cooling:	aktiv / fan cooling
DIN-Rail:	Nein / no
Bauhöhe:	2HE

Mainboard form factor:	ATX
chipset:	Intel Q370
CPU Typ :	Core i3
CPU Model :	9100E
CPU 64bit :	Ja
CPU speed:	3,10 GHz
CPU cores:	4
CPU socket:	LGA1151, H4
CPU alternative option 1:	Core i5-9500E
CPU alternative option 2:	Core i7-9700E
RAM size (MB):	8192
RAM max. size (MB):	65536
RAM Number of benches:	4
RAM Typ :	DDR4
RAM speed:	2400
PCI Express x16 :	1
PCI Express x4 :	3
PCI Express x1 :	1
PCI :	2
Grafik Controller:	Intel HD Graphics 630
Ethernet Controller:	Intel I112AT + PHYI219LM
Audio Controller:	Realtek ALC888S HD Codec
connections SATA:	6
USB internal connections:	4x USB 2.0, 2x USB 3.0
Connections Serial internal:	6x RS-232/422/485
Mini-PCIe-slot:	1
HDD design:	3.5"
HDD max. number:	4
HDD connection:	SATA 3.0
HDD capacity (GB):	500
MiniPCIe Slot SSD :	1
SSD design:	M.2
SSD max. number:	1
RAID-System :	Ja / yes
alternate Caddies:	Optional / optional
CD/DVD-Writer :	Ja / yes
USB :	2 x USB 2.0
controls:	Power On/Off, Kontroll-LEDs
Display :	2x DisplayPort, 1x VGA, 1x eDP
USB :	4 x USB 3.1, 2 x USB 2.0
LAN :	2x RJ45 - 10/100/1000 Mbps
Audio :	Line-Out, Line-In, Mic in

serial:	2 x RS-232/422/485
PS/2:	2x Mini-DIN
voltage input AC:	100 - 240 V/AC
power adapter:	400 Watt ATX, PS/2, intern
operating-system support:	Windows 10 IoT Enterprise, Linux
operating temperatur min.:	0°C
operating temperatur min.:	50°C
warranty:	24 Monate / 24 months

Link correlati a "CL2501 - PQ370 - 2"

- [- Avete domande relative a questo prodotto?](#)
- [- Ulteriori prodotti di TL Electronic](#)

Download disponibili:

- [Download CE Konformitätserklärung DoC IPC CL2501_20122020](#)
- [Download CE Industrie-PC CL2501 Gebrauchsanleitung 20220404](#)
- [Download CE Industrial PC CL2501 Istruzioni per l'uso italiano_20220404](#)
- [Download CE Industrial PC CL2501 Instruction manual \(english\) 20220404](#)
- [Download CL250x Filtermattentausch Anhang A_V1](#)
- [Download Drawing Industrie-PC CL2501_30052022](#)