



Numero Ordine: 23152327

Campo testo libero 2: 15,0 Zoll (4:3) Edelstahl Panel-PC, Intel Celeron N2930, Windows 10 IoT Enterprise

Produttore: TL Electronic, Bergkirchen-Feldgeding

R15IB3S-SPC3-B

Prezzo su richiesta

Prezzi più IVA [più spese di spedizione](#)

Tempi di consegna: su richiesta

Informazione prodotto "R15IB3S-SPC3-B"

Robust industrial Panel PC made of brushed stainless steel Protection class IP65 all around incl. interfaces Easy to clean and corrosion resistant Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Perfect for food, chemical, pharmaceutical industry, medical technology, process engineering, plant construction etc. Long-term availability

article group specification:	2315
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	B-Serie
Manufacturer item number:	R15IB3S-SPC-B
mechanics:	Chassis Edelstahl / stainless steel (VES
dimensions width:	42,6
dimensions height:	30,1
dimensions depth:	6,9
Material housing:	Edelstahl / stainless steel
Material Front :	Edelstahl / stainless steel
protection front:	IP65
protection device:	IP65
colour:	Edelstahl gebürstet / brushed stainless
controls:	5 Keys: -, +, Power, Esc, Enter
VESA-Mounting Interface:	VESA 100 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Suppo
cooling:	lüfterlos / fanless
Display-diagonal (inch):	15,0
aspect ratio:	4:3
resolution:	1024 x 768

brightness:	250 cd/m²
contrast:	2000:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Projected Capacitive / Multi-Touch
Touch Interface:	USB
Manufacturer controller:	P-CAP Touchcontroller
voltage input DC:	9-36 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, IP65
USB:	2 x USB 2.0 (M12 type)
serial:	1 x RS-232 (M12 type)
LAN:	1x RJ45 - 10/100/1000 Mbps (IP65)
chipset:	Intel System on chip
CPU Typ:	Celeron
CPU Model:	N2930
CPU 64bit:	Ja
CPU speed:	1,83 GHz
CPU cores:	4
CPU socket:	FCBGA1170
RAM size (MB):	4096
RAM max. size (MB):	8192
RAM Number of benches:	1
RAM Typ:	DDR3
RAM speed:	1600
Grafik Controller:	Graphics in CPU
Audio Controller:	Realtek ALC886 HD Codec
safety:	TPM 2.0
SSD design:	mSATA
SSD max. number:	1
SSD capacity (GB):	128
Ethernet connections:	1 x RJ-45
Ethernet data transfer:	1 x Gigabit-LAN
Ethernet Controller :	Intel I210-AT
MiniPCle Slot WLAN/WWAN :	1
WLAN :	Optional / optional
Betriebssystem:	Windows 10 IoT Enterprise
operating-system language version:	deutsch / english / italian
operating temperatur min.:	0°C
operating temperatur max.:	45°C
warranty:	24 Monate / 24 months

Link correlati a "R15IB3S-SPC3-B"

[- Avete domande relative a questo prodotto?](#)

[- Ulteriori prodotti di TL Electronic, Bergkirchen-Feldgeding](#)

Download disponibili:

[Download Drawing Panel-PC R15IB3S-SPC3-B 221215](#)