



Numero Ordine: 23152336

Campo testo libero 2: 15,0 Zoll (4:3) Rugged Panel-PC der GS-Serie, Cortex A9, Android 6.0

Produttore: Winmate

Peso: 7.85 kg

R15FA3S-GSC3

Prezzo su richiesta

Prezzi più IVA [più spese di spedizione](#)

Tempi di consegna: su richiesta

Informazione prodotto "R15FA3S-GSC3"

Rugged Panel PC for stationary and vehicle-mounted use Industrial Panel PC in sturdy steel sheet housing Protection class IP65 all around incl. Interfaces Shock and vibration resistant acc. MIL-STD-810F/G Flat PCAP glass front without dirt-collecting edges Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Long-term availability

article group specification:	2315
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winnate
series name:	GS-Serie
Manufacturer item number:	R15FA3S-GSC3
mechanics:	Chassis (VESA-Mounting)
dimensions width:	30,51
dimensions height:	22,91
dimensions depth:	4,52
Material housing:	Stahlblech / steel sheet
Material Front :	Stahlblech / steel sheet
protection front:	IP65
protection device:	IP65
colour:	schwarz, grau / black, grey
controls:	2 Keys: Power, Reset, Status-LEDs
VESA-Mounting Interface:	VESA 100 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Suppo
cooling:	lüfterlos / fanless
Display-diagonal (inch):	15,0
aspect ratio:	4:3
resolution:	1024 x 768

brightness:	250 cd/m²
contrast:	700:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Projected Capacitive / Multi-Touch
Touch Interface:	USB
Manufacturer controller:	P-CAP Touchcontroller
voltage input DC:	12 V/DC (M12 type)
external power supply:	12 V/DC, 100 - 240 V/AC, IP65
input:	20 Watt
USB:	1 x USB 2.0 (M12 type), 1 x USB OTG
serial:	1 x RS232 (M12 type) (Optional 422/485)
Audio:	1 x 1 Watt Speaker
LAN:	1x RJ45 - 10/100/1000 Mbps (M12 type)
Mainboard form factor:	i. MX6
chipset:	SoC
CPU Typ:	A9
CPU Model:	Cortex A9
CPU 64bit:	Nein
CPU speed:	1,0 GHz
CPU cores:	2
RAM size (MB):	1024
RAM max. size (MB):	2048
RAM Number of benches:	1
RAM Typ:	LPDDR3
Grafik Controller:	Graphics in CPU
SSD design:	eMMC
SSD max. number:	1
SSD capacity (GB):	16
Ethernet connections:	1 x RJ-45
Ethernet data transfer:	1 x Gigabit-LAN
Betriebssystem:	Android 6.0
operating-system language version:	deutsch / english / italian
operating-system support:	Linux 4.1.15, QT 5.5, Ubuntu 16.04
operating temperatur min.:	-15°C
operating temperatur max.:	55°C
warranty:	24 Monate / 24 months

Link correlati a "R15FA3S-GSC3"

- [- Avete domande relative a questo prodotto?](#)
- [- Ulteriori prodotti di Winmate](#)

Download disponibili:

[Download Drawing Panel-PC R15FA3S-GSC3 221209](#)