



Numero Ordine: 23152342

Campo testo libero 2: 15,0 Zoll (4:3) Panel-PC, Intel Celeron N2930

Produttore: Winmate

Peso: 2.8 kg

R15IB3S-PTC3

Prezzo su richiesta

Prezzi più IVA [più spese di spedizione](#)

Tempi di consegna: su richiesta

Informazione prodotto "R15IB3S-PTC3"

Multitouch Panel PC for professional use Industrial Panel PC in sturdy plastic housing Flat PCAP glass front without dirt-collecting edges (IP65 Front) Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Long-term availability

article group specification:	2315
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winnate
series name:	PT-Serie
Manufacturer item number:	R15IB3S-PTC3
mechanics:	Chassis (VESA-Mounting)
dimensions width:	35,25
dimensions height:	27,67
dimensions depth:	4,5
weight:	2,8
Material housing:	Kunststoff / plastic
Material Front :	Kunststoff / plastic
protection front:	IP65
protection device:	IP20
colour:	schwarz / black
controls:	2 Keys: Power, Reset, Status-LEDs
VESA-Mounting Interface:	VESA 75 x 75 mm, 100 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Suppo
cooling:	lüfterlos / fanless
Display-diagonal (inch):	15,0
aspect ratio:	4:3

resolution:	1024 x 768
brightness:	300 cd/m²
contrast:	2000:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Projected Capacitive / Multi-Touch
Touch Interface:	USB
Manufacturer controller:	P-CAP Touchcontroller
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, 4-pin
input:	20 Watt
USB:	1 x USB 3.0, 1 x USB 2.0
serial:	1 x RS-232/422/485
Audio:	2 x Speaker
LAN:	2x RJ45 - 10/100/1000 Mbps
chipset:	Intel System on chip
CPU Typ:	Celeron Bay Trail-M
CPU Model:	N2930
CPU 64bit:	Ja
CPU speed:	1,83GHz
CPU cores:	4
CPU socket:	CPU on Board
RAM size (MB):	4096
RAM max. size (MB):	8192
RAM Number of benches:	1
RAM Typ:	SO-DDR3L
RAM speed:	1600
Grafik Controller:	Intel HD Graphics Z3700 series
safety:	TPM 2.0
CPU class:	Atom / Celeron
SSD design:	M.2
SSD max. number:	1
SSD capacity (GB):	128
Ethernet connections:	2 x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
Ethernet Controller :	2x Intel I210-AT
operating-system support:	Windows 10 IoT
operating temperatur min.:	0°C
operating temperatur max.:	40°C
warranty:	24 Monate / 24 months

Link correlati a "R15IB3S-PTC3"

[- Avete domande relative a questo prodotto?](#)

[- Ulteriori prodotti di Winmate](#)

Download disponibili:

[Download Drawing Panel-PC R15IB3S-PTC3 25052022](#)

[Download CE Konformitätserklärung DoC R15IB3S-PTC3](#)