

**Numero Ordine:** 23171728
**Campo testo libero 2:** 17,0 Zoll (4:3) Panel-PC der SlimLine-Serie, Intel Core i3-9100TE
**Produttore:** TL Electronic, Bergkirchen-Feldgeding

# WM 17-IF70-PMA-PRU

## Prezzo su richiesta

Prezzi più IVA più spese di spedizione

Tempi di consegna: su richiesta

### Informazione prodotto "WM 17-IF70-PMA-PRU"

Built-in Panel PC for professional use Industrial Panel PC in sturdy steel sheet design Robust aluminium front panel (IP65 protected) Designed for industrial applications in continuous operation Panelmount installation with rear screwed bolts Long-term availability

| | |
|---|---|
| **article group specification:** | 2317 |
| **Manufacturer:** | WM |
| **Matchcode manufacturer:** | nein |
| **Manufacturer:** | Winmate |
| **series name:** | IF-Serie |
| **Manufacturer item number:** | R17IF7T-OFM1 |
| **mechanics:** | Panel Mount |
| **dimensions width:** | 41 |
| **dimensions height:** | 32,9 |
| **dimensions depth:** | 7,4 |
| **Material housing:** | Stahlblech / steel sheet |
| **Material Front :** | Aluminium / aluminum |
| **protection front:** | IP65 |
| **protection device:** | IP22 |
| **colour:** | RAL 7035 / light grey |
| **controls:** | 2 Keys: Power, Reset |
| **VESA-Mounting Interface:** | VESA 75 x 75 mm, 100 x 100 mm |
| **mounting:** | Einbau von vorne / front installation |
| **cooling:** | aktiv / fan cooling |
| **Display-diagonal (inch):** | 17,0 |
| **aspect ratio:** | 4:3 |
| **resolution:** | 1280 x 1024 |

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

| | |
|---|---|
| **brightness:** | 350 cd/m² |
| **contrast:** | 1000:1 |
| **Display-Technologie:** | LCD, LED Backlight |
| **Touch-Screen or glass:** | Resistive Touch |
| **Touch Interface:** | USB |
| **Manufacturer controller:** | Premier |
| **voltage input DC:** | 12 V/DC |
| **external power supply:** | 12 V/DC, 100 - 240 V/AC, 4-pin |
| **HDMI:** | 1 x HDMI 1.4 |
| **USB:** | 4 x USB 3.2 Gen.1 (Type-A) |
| **serial:** | 1 x RS-232 |
| **Audio:** | 1 x Mic-In, 1 x Line-Out, 2 x Speaker |
| **LAN:** | 2x RJ45 - 10/100/1000 Mbps |
| **Mainboard form factor:** | All in One |
| **chipset:** | Intel H310 |
| **CPU Typ:** | Core i3 |
| **CPU Model:** | 9100TE |
| **CPU 64bit:** | Ja |
| **CPU speed:** | 2,2 GHz |
| **CPU cores:** | 4 |
| **CPU socket:** | FCLGA1151 |
| **RAM size (MB):** | 4096 |
| **RAM max. size (MB):** | 64000 |
| **RAM Number of benches:** | 1 |
| **RAM Typ:** | SO-DDR4 |
| **RAM speed:** | 2400 |
| **Grafik Controller:** | Intel UHD Graphics 630 |
| **Audio Controller:** | Realtek ALC283 HD Codec |
| **safety:** | TPM 2.0 |
| **CPU class:** | Core i3 / i5 / i7 |
| **CPU alternative option 1:** | Core i5-9xxx |
| **CPU alternative option 2:** | Core i7-9xxx |
| **Expansion slots:** | 1 x PCIe-x16 (optional) |
| **SSD design:** | M.2 |
| **SSD max. number:** | 1 |
| **SSD capacity (GB):** | 128 |
| **Ethernet connections:** | 2 x RJ-45 |
| **Ethernet data transfer:** | 2 x Gigabit-LAN |
| **Ethernet Controller :** | Intel I112AT + PHYI219LM |
| **MiniPCIe Slot WLAN/WWAN :** | 1 |
| **WLAN :** | Optional / optional |
| **Bluetooth :** | optional / optional |

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

| | |
|---|---|
| **Betriebssystem:** | Optional |
| **operating-system language version:** | deutsch / english / italian |
| **operating temperatur min.:** | 0°C |
| **operating temperatur max.:** | 50°C |
| **warranty:** | 24 Monate / 24 months |

## Link correlati a "WM 17-IF70-PMA-PRU"

- Avete domande relative a questo prodotto?
- Ulteriori prodotti di TL Electronic, Bergkirchen-Feldgeding

## Download disponibili:

Download CE_Panel-PC WM-Serie Gebrauchsanleitung 20210504
Download CE Konformitätserklärung DoC Panel-PC WM 17-IF70-x-y-z-20210315

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de