

Numero Ordine: 23240037
Campo testo libero 2: 23,8 Zoll (16:9) Panel-PC, Intel Core i3-9100TE
Produttore: TL Electronic, Bergkirchen-Feldgeding

W24IF7T-OFA2_PMA

Prezzo su richiesta

Prezzi più IVA più spese di spedizione

Tempi di consegna: su richiesta

Informazione prodotto "W24IF7T-OFA2_PMA"

Built-in Panel PC for professional use Industrial Panel PC in sturdy steel sheet design Robust aluminium front panel (IP65 protected) Designed for industrial applications in continuous operation Panelmount installation with rear screwed bolts Long-term availability

article group specification:	2324
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	IF-Serie
Manufacturer item number:	W24IF7T-OFA2
mechanics:	Panel Mount
dimensions width:	57,6
dimensions height:	34,4
dimensions depth:	6,9
Material housing:	Stahlblech / steel sheet
Material Front :	Aluminium / aluminum
protection front:	IP65
protection device:	IP22
colour:	RAL 7035 / light grey
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 75 x 75 mm, 100 x 100 mm
mounting:	Einbau von vorne / front installation
cooling:	aktiv / fan cooling
Display-diagonal (inch):	23,8
aspect ratio:	16:9
resolution:	1920 x 1080

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

brightness:	250 cd/m²
contrast:	3000:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Resistive / Glas (optional)
Touch Interface:	USB oder RS-232
Manufacturer controller:	Premier
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, 4-pin
HDMI:	1 x HDMI 1.4
USB:	4 x USB 3.2 Gen.1 (Type-A)
serial:	1 x RS-232
Audio:	1 x Mic-In, 1 x Line-Out, 2 x Speaker
LAN:	2x RJ45 - 10/100/1000 Mbps
Mainboard form factor:	All in One
chipset:	Intel H310
CPU Typ:	Core i3
CPU Model:	9100TE
CPU 64bit:	Ja
CPU speed:	2,2 GHz
CPU cores:	4
CPU socket:	FCLGA1151
RAM size (MB):	4096
RAM max. size (MB):	64000
RAM Number of benches:	1
RAM Typ:	SO-DDR4
RAM speed:	2400
Grafik Controller:	Intel UHD Graphics 630
Audio Controller:	Realtek ALC283 HD Codec
safety:	TPM 2.0
CPU class:	Core i3 / i5 / i7
CPU alternative option 1:	Core i5-9xxx
CPU alternative option 2:	Core i7-9xxx
Expansion slots:	1 x PCIe-x16 (optional)
SSD design:	M.2
SSD max. number:	1
SSD capacity (GB):	128
Ethernet connections:	2 x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
Ethernet Controller :	Intel I112AT + PHYI219LM
MiniPCIe Slot WLAN/WWAN :	1
WLAN :	Optional / optional
Bluetooth :	optional / optional

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

Betriebssystem:	Optional
operating-system language version:	deutsch / english / italian
operating temperatur min.:	0°C
operating temperatur max.:	50°C
warranty:	24 Monate / 24 months

Link correlati a "W24IF7T-OFA2_PMA"

- Avete domande relative a questo prodotto?
- Ulteriori prodotti di TL Electronic, Bergkirchen-Feldgeding

Download disponibili:

Download CE_Panel-PC WM-Serie Gebrauchsanleitung 20210504
Download CE Konformitätserklärung DoC Panel-PC WM 24W-IF70-x-y-z-20210504
Download Drawing WM 24W-...-PMA+PME (Panelmount) Installation 190228

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de