

**Numero Ordine:** 23240038
**Campo testo libero 2:** 23,8 Zoll (16:9) Panel-PC der SlimLine-Serie, Intel Core i3 9100TE
**Produttore:** TL Electronic, Bergkirchen-Feldgeding

# WM 24W-IF70-CH-PRU

## Prezzo su richiesta

Prezzi più IVA più spese di spedizione

Tempi di consegna: su richiesta

### Informazione prodotto "WM 24W-IF70-CH-PRU"

Chassis Panel PC for professional use Industrial Panel PC in sturdy steel sheet housing Designed for industrial applications in continuous operation Easy installation with rear VESA mounting interface Long-term availability

| | |
|---|---|
| **article group specification:** | 2324 |
| **Manufacturer:** | WM |
| **Matchcode manufacturer:** | nein |
| **Manufacturer:** | Winmate |
| **series name:** | IF-Serie |
| **Manufacturer item number:** | W24IF7T-CHA2 |
| **mechanics:** | Chassis (VESA-Mounting) |
| **dimensions width:** | 56,1 |
| **dimensions height:** | 32,8 |
| **dimensions depth:** | 7,5 |
| **Material housing:** | Stahlblech / steel sheet |
| **Material Front :** | Stahlblech / steel sheet |
| **protection front:** | IP54 |
| **protection device:** | IP20 |
| **colour:** | RAL 9004 / signal black |
| **controls:** | 2 Keys: Power, Reset |
| **VESA-Mounting Interface:** | VESA 75 x 75 mm, 100 x 100 mm |
| **mounting:** | Tragarm-, Standfuß-, Wandmontage / Suppo |
| **cooling:** | aktiv / fan cooling |
| **Display-diagonal (inch):** | 23,8 |
| **aspect ratio:** | 16:9 |
| **resolution:** | 1920 x 1080 |

| | |
|---|---|
| **brightness:** | 250 cd/m² |
| **contrast:** | 3000:1 |
| **Display-Technologie:** | LCD, LED Backlight |
| **Touch-Screen or glass:** | Resistive Touch |
| **Touch Interface:** | USB |
| **Manufacturer controller:** | Premier |
| **voltage input DC:** | 12 V/DC |
| **external power supply:** | 12 V/DC, 100 - 240 V/AC, 4-pin |
| **HDMI:** | 1 x HDMI 1.4 |
| **USB:** | 4 x USB 3.2 Gen.1 (Type-A) |
| **serial:** | 1 x RS-232 |
| **Audio:** | 1 x Mic-In, 1 x Line-Out, 2 x Speaker |
| **LAN:** | 2x RJ45 - 10/100/1000 Mbps |
| **Mainboard form factor:** | All in One |
| **chipset:** | Intel H310 |
| **CPU Typ:** | Core i3 |
| **CPU Model:** | 9100TE |
| **CPU 64bit:** | Ja |
| **CPU speed:** | 2,2 GHz |
| **CPU cores:** | 4 |
| **CPU socket:** | FCLGA1151 |
| **RAM size (MB):** | 4096 |
| **RAM max. size (MB):** | 64000 |
| **RAM Number of benches:** | 1 |
| **RAM Typ:** | SO-DDR4 |
| **RAM speed:** | 2400 |
| **Grafik Controller:** | Intel UHD Graphics 630 |
| **Audio Controller:** | Realtek ALC283 HD Codec |
| **safety:** | TPM 2.0 |
| **CPU class:** | Core i3 / i5 / i7 |
| **CPU alternative option 1:** | Core i5-7xxx |
| **CPU alternative option 2:** | Core i7-9xxx |
| **Expansion slots:** | 1 x PCIe-x16 (optional) |
| **SSD design:** | M.2 |
| **SSD max. number:** | 1 |
| **SSD capacity (GB):** | 128 |
| **Ethernet connections:** | 2 x RJ-45 |
| **Ethernet data transfer:** | 2 x Gigabit-LAN |
| **Ethernet Controller :** | Intel I112AT + PHYI219LM |
| **MiniPCIe Slot WLAN/WWAN :** | 1 |
| **WLAN :** | Optional / optional |
| **Bluetooth :** | optional / optional |

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

| | |
|---|---|
| **Betriebssystem:** | Optional |
| **operating-system language version:** | deutsch / english / italian |
| **operating temperatur min.:** | 0°C |
| **operating temperatur max.:** | 50°C |
| **warranty:** | 24 Monate / 24 months |

## Link correlati a "WM 24W-IF70-CH-PRU"

- Avete domande relative a questo prodotto?
- Ulteriori prodotti di TL Electronic, Bergkirchen-Feldgeding

## Download disponibili:

Download CE_Panel-PC WM-Serie Gebrauchsanleitung 20210504
Download CE Konformitätserklärung DoC Panel-PC WM 24W-IF70-x-y-z-20210504
Download Drawing Panel-PC WM 24W-IF70-CH (VESA Chassis) 20210504

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de