

Numero Ordine: 23221107
Campo testo libero 2: 21,5 Zoll (16:9) Panel-PC der GC-Serie, Intel Core i3 9100TE
Produttore: TL Electronic, Bergkirchen-Feldgeding

W22IF7T-GCA3

Prezzo su richiesta

Prezzi più IVA più spese di spedizione

Tempi di consegna: su richiesta

Informazione prodotto "W22IF7T-GCA3"

Built-in Panel PC for professional use Industrial Panel PC in sturdy steel sheet design Robust plastic front panel (IP65 protected) Shock and vibration resistant acc. MIL-STD-810F/G Designed for industrial applications in continuous operation Panelmount installation with rear screwed bolts Long-term availability

article group specification:	2322
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	GC-Serie
Manufacturer item number:	W22IF7T-GCA3
mechanics:	Chassis (VESA-Mounting)
dimensions width:	53,0
dimensions height:	32,2
dimensions depth:	6,2
Material housing:	Stahlblech / steel sheet
Material Front :	Kunststoff / plastic
protection front:	IP65
colour:	schwarz / black
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 75 x 75 mm, 100 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Suppo
cooling:	aktiv / fan cooling
Display-diagonal (inch):	21,5
aspect ratio:	16:9
resolution:	1920 x 1080
brightness:	250 cd/m²

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

contrast:	3000:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Projected Capactive / Multi-Touch
Touch Interface:	USB
Manufacturer controller:	P-CAP Touchcontroller
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, 4-pin
HDMI:	1 x HDMI 1.4 (optional)
DisplayPort:	1 x DisplayPort
USB:	4 x USB 3.2 Gen.1 (Type-A)
serial:	1 x RS-232
Audio:	1 x Mic-In, 1 x Line-Out, 2 x Speaker
LAN:	2x RJ45 - 10/100/1000 Mbps
chipset:	Intel H310
CPU Typ:	Core i3
CPU Model:	9100TE
CPU 64bit:	Ja
CPU speed:	2,2 GHz
CPU cores:	4
CPU socket:	FCLGA1151
RAM size (MB):	4096
RAM max. size (MB):	64000
RAM Number of benches:	2
RAM Typ:	SO-DDR4
RAM speed:	2400
Grafik Controller:	Intel UHD Graphics 630
safety:	TPM 2.0
CPU class:	Core i3 / i5 / i7
CPU alternative option 1:	Core i5-9xxx
CPU alternative option 2:	Core i7-9xxx
Expansion slots:	1 x PCIe-x16 (optional)
SSD design:	M.2
SSD max. number:	1
SSD capacity (GB):	128
Ethernet connections:	2 x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
Ethernet Controller :	Intel I211-AT + I219-LM
MiniPCIe Slot WLAN/WWAN :	2
WLAN :	Optional / optional
Bluetooth :	optional / optional
Betriebssystem:	Optional
operating-system language version:	deutsch / english / italian

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

operating temperatur min.:	0°C
operating temperatur max.:	50°C
warranty:	24 Monate / 24 months

Link correlati a "W22IF7T-GCA3"

- Avete domande relative a questo prodotto?
- Ulteriori prodotti di TL Electronic, Bergkirchen-Feldgeding

Download disponibili:

Download CE Konformitätserklärung DoC W22IF7T-GCA3
Download Drawing Panel-PC W22IF7T-GCA3 25072022

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de