

Numero Ordine: 23191859
Campo testo libero 2: 19,0 Zoll (4:3) Multitouch-Panel-PC, Intel Core i5-1135G7
Produttore: TL Electronic, Bergkirchen-Feldgeding

R19IT7T-PPM1

Prezzo su richiesta

Prezzi più IVA più spese di spedizione

Tempi di consegna: su richiesta

Informazione prodotto "R19IT7T-PPM1"

Multitouch Panel PC for professional use Industrial Panel PC in sturdy steel sheet design Robust aluminium front panel (IP65 protected) Flat PCAP glass front without dirt-collecting edges Designed for industrial applications in continuous operation Panelmount installation with rear holding clamps or female screw threads Long-term availability

article group specification:	2319
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	PP-Serie
Manufacturer item number:	R19IT7T-PPM1
mechanics:	Panel Mount
dimensions width:	44,6
dimensions height:	37,0
dimensions depth:	7,8
Material housing:	Stahlblech / steel sheet
Material Front :	Aluminium / aluminum
protection front:	IP65
colour:	Aluminium eloxiert / anodized aluminum
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 75 x 75 mm, 100 x 100 mm
mounting:	Einbau von vorne / front installation
cooling:	lüfterlos / fanless
Display-diagonal (inch):	19,0
aspect ratio:	4:3
resolution:	1280 x 1024
brightness:	250 cd/m²

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

contrast:	1000:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Projected Capactive / Multi-Touch
Touch Interface:	USB
Manufacturer controller:	P-CAP Touchcontroller
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, 4-pin
HDMI:	1 x HDMI 2.0 (optional)
DisplayPort:	1 x DisplayPort
USB:	4 x USB 3.2 Gen.1x1 (Type-A)
serial:	2 x RS232
Audio:	Mic-In, Line-Out
LAN:	2x RJ45 - 10/100/1000 Mbps
CPU Typ:	Core i5
CPU Model:	1135G7
CPU 64bit:	Ja
CPU speed:	2,4 GHz
CPU cores:	4
CPU socket:	FCBGA1449
RAM size (MB):	4096
RAM max. size (MB):	64000
RAM Number of benches:	1
RAM Typ:	SO-DDR4
RAM speed:	3200
Grafik Controller:	Intel Iris Xe Graphics
safety:	TPM 2.0
Expansion slots:	2 x M.2 slot
SSD design:	M.2
SSD max. number:	1
SSD capacity (GB):	128
Ethernet connections:	2 x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
Betriebssystem:	Optional
operating temperatur min.:	0°C
operating temperatur max.:	50°C
warranty:	24 Monate / 24 months

Link correlati a "R19IT7T-PPM1"

- Avete domande relative a questo prodotto?
- Ulteriori prodotti di TL Electronic, Bergkirchen-Feldgeding

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

Download disponibili:

Download Drawing Panel-PC R19IT7T-PPM1 230425.pdf

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de