

**Numero Ordine:** 23152567
**Campo testo libero 2:** 15,0 Zoll (4:3) Panel-PC, Intel Core i5-1135G7
**Produttore:** TL Electronic, Bergkirchen-Feldgeding

# R15IT7T-OFC3_PMA

## Prezzo su richiesta

Prezzi più IVA più spese di spedizione

Tempi di consegna: su richiesta

### Informazione prodotto "R15IT7T-OFC3_PMA"

Built-in Panel PC for professional use Industrial Panel PC in sturdy open-frame steel sheet design Rear cover protected against contact (cage chassis) Designed for industrial applications in continuous operation Long-term availability

| | |
|---|---|
| **article group specification:** | 2315 |
| **Manufacturer:** | WM |
| **Matchcode manufacturer:** | nein |
| **Manufacturer:** | Winmate |
| **series name:** | WM-Serie |
| **Manufacturer item number:** | R15IT7T-OFC3 |
| **mechanics:** | Panel Mount |
| **dimensions width:** | 41,0 |
| **dimensions height:** | 34,0 |
| **dimensions depth:** | 7,3 |
| **Material housing:** | Stahlblech / steel sheet |
| **Material Front :** | Aluminium / aluminum |
| **protection front:** | IP65 |
| **protection device:** | IP20 |
| **colour:** | RAL 7035 / light grey |
| **controls:** | 2 Keys: Power, Reset |
| **VESA-Mounting Interface:** | VESA 75 x 75 mm, 100 x 100 mm |
| **mounting:** | Einbau von vorne / front installation |
| **cooling:** | lüfterlos / fanless |
| **Display-diagonal (inch):** | 15,0 |
| **aspect ratio:** | 4:3 |
| **resolution:** | 1024 x 768 |

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

| | |
|---|---|
| **brightness:** | 300 cd/m² |
| **contrast:** | 2000:1 |
| **Display-Technologie:** | LCD, LED Backlight |
| **Touch-Screen or glass:** | Resistive / Glas (optional) |
| **Touch Interface:** | USB oder RS-232 |
| **Manufacturer controller:** | Premier |
| **voltage input DC:** | 12 V/DC |
| **external power supply:** | 12 V/DC, 100 - 240 V/AC, 4-pin |
| **HDMI:** | 1 x HDMI 2.0 (optional) |
| **DisplayPort:** | 1 x DisplayPort |
| **USB:** | 4 x USB 3.2 Gen.2x1 (Type-A) |
| **serial:** | 2 x RS232 |
| **Audio:** | Mic-In, Line-Out |
| **LAN:** | 2x RJ45 - 10/100/1000 Mbps |
| **chipset:** | Intel System on chip |
| **CPU Typ:** | Core i5 |
| **CPU Model:** | 1135G7 |
| **CPU 64bit:** | Ja |
| **CPU speed:** | 2,4 GHz |
| **CPU cores:** | 4 |
| **CPU socket:** | FCBGA1449 |
| **RAM size (MB):** | 4096 |
| **RAM Number of benches:** | 1 |
| **RAM Typ:** | SO-DDR4 |
| **RAM speed:** | 3200 |
| **Grafik Controller:** | Intel Iris Xe Graphics |
| **safety:** | TPM 2.0 |
| **SSD design:** | M.2 |
| **SSD max. number:** | 1 |
| **SSD capacity (GB):** | 128 |
| **Ethernet connections:** | 2 x RJ-45 |
| **Ethernet data transfer:** | 2 x Gigabit-LAN |
| **WLAN :** | Ja / yes |
| **Bluetooth :** | Ja / yes |
| **Betriebssystem:** | Optional |
| **operating-system language version:** | deutsch / english / italian |
| **operating temperatur min.:** | 0°C |
| **operating temperatur max.:** | 50°C |
| **warranty:** | 24 Monate / 24 months |

## Link correlati a "R15IT7T-OFC3_PMA"

- Avete domande relative a questo prodotto?

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

- Ulteriori prodotti di TL Electronic, Bergkirchen-Feldgeding

## Download disponibili:

Download Drawing Panel-PC WM 15-...-PMA+PME (Panelmount) 190228.pdf

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de