

Numero Ordine: 23191905
Campo testo libero 2: 19,0 Zoll (4:3) Panel-PC, Intel Core i5-1235U
Produttore: TL Electronic, Bergkirchen-Feldgeding
Peso:9.8 kg

R19IAD3S-67FTP(HB)

Prezzo su richiesta

Prezzi più IVA più spese di spedizione

Tempi di consegna: su richiesta

Informazione prodotto "R19IAD3S-67FTP(HB)"

Built-in Panel PC for professional use Industrial Panel PC in sturdy steel sheet design (IP67 protected) Robust plastic front panel Shock and vibration resistant acc. MIL-STD-810G Designed for industrial applications in continuous operation Long-term availability

article group specification:	2319
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	G-WIN-Serie
Manufacturer item number:	R19IAD3S-67FTP(HB)
mechanics:	Chassis (VESA-Mounting)
dimensions width:	47,4
dimensions height:	41,0
dimensions depth:	11,1
weight:	9,8
Material housing:	Aluminium / aluminium
Material Front :	Aluminium / aluminum
protection device:	IP67
colour:	schwarz / black
controls:	5 Keys: Power, 4x Function
VESA-Mounting Interface:	VESA 100 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Suppo
cooling:	lüfterlos / fanless
Display-diagonal (inch):	19,0
aspect ratio:	4:3
resolution:	1280 x 1024

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

brightness:	1000 cd/m²
contrast:	1000:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Projected Capactive / Multi-Touch
Touch Interface:	USB
Manufacturer controller:	P-CAP Touchcontroller
voltage input DC:	9-36 V/DC
external power supply:	optional
USB:	2 x USB 2.0 (M12 type)
serial:	1 x RS-232 (M12 type)
LAN:	1x RJ45 - 10/100/1000 Mbps (M12 type)
CPU Typ:	Core i5
CPU Model:	1235U
CPU 64bit:	Ja
CPU speed:	1,3 GHz
CPU cores:	10
CPU socket:	FCBGA1744
RAM size (MB):	8192
RAM max. size (MB):	32768
RAM Number of benches:	1
RAM Typ:	SO-DDR5
Grafik Controller:	Intel Iris Xe Graphics
safety:	TPM 2.0
SSD design:	M.2
SSD max. number:	1
SSD capacity (GB):	128
Ethernet connections:	1 x RJ-45
Ethernet data transfer:	1 x Gigabit-LAN
WLAN :	Optional / optional
Bluetooth :	optional / optional
Betriebssystem:	Optional
operating-system language version:	deutsch / english / italian
operating temperatur min.:	-10°C
operating temperatur max.:	55°C
warranty:	24 Monate / 24 months

Link correlati a "R19IAD3S-67FTP(HB)"

- Avete domande relative a questo prodotto?
- Ulteriori prodotti di TL Electronic, Bergkirchen-Feldgeding

Download disponibili:

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

Download Drawing Panel-PC R19IAD3S-67FTP(HB) 240425.pdf

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de