

Numero Ordine: 23221206
Campo testo libero 2: 21,5 Zoll (16:9) Panel-PC
Produttore: Winmate
Peso:11.86 kg

W22IAD7T-GCA3

Prezzo su richiesta

Prezzi più IVA più spese di spedizione

Tempi di consegna: su richiesta

Informazione prodotto "W22IAD7T-GCA3"

Built-in Panel PC for professional use Industrial Panel PC in sturdy steel sheet design Robust plastic front panel (IP65 protected) Shock and vibration resistant acc. MIL-STD-810G Designed for industrial applications in continuous operation Panelmount installation with rear screwed bolts Long-term availability

article group specification:	2322
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winmate
series name:	GC-Serie
Manufacturer item number:	W22IAD7T-GCA3
mechanics:	Chassis (VESA-Mounting)
dimensions width:	53,0
dimensions height:	32,2
dimensions depth:	6,2
Material housing:	Metallgehäuse / Metal housing
Material Front :	Kunststoff / plastic
protection device:	IP65
colour:	schwarz / black
controls:	2 Keys: Power, Reset
VESA-Mounting Interface:	VESA 75 x 75 mm, 100 x 100 mm
mounting:	Tragarm-, Standfuß-, Wandmontage / Suppo
cooling:	aktiv / fan cooling
Display-diagonal (inch):	21,5
aspect ratio:	16:9
resolution:	1920 x 1080
brightness:	250 cd/m²

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

contrast:	3000:1
Display-Technologie:	LCD, LED Backlight
Touch-Screen or glass:	Projected Capactive / Multi-Touch
Touch Interface:	USB
Manufacturer controller:	P-CAP Touchcontroller
voltage input DC:	12 V/DC
external power supply:	12 V/DC, 100 - 240 V/AC, DC plug
DisplayPort:	1 x DisplayPort
USB:	4 x USB 3.2 Gen.2x1 (Type-A)
serial:	2 x RS232
Audio:	1 x Mic-In, 1 x Line-Out, 2 x Speaker
LAN:	2x RJ45 - 10/100/1000 Mbps
CPU Typ:	Core i3
CPU Model:	12100TE
CPU 64bit:	Ja
CPU speed:	2,1 GHz
CPU cores:	4
CPU socket:	FCLGA1700
RAM size (MB):	8192
RAM max. size (MB):	64000
RAM Number of benches:	1
RAM Typ:	SO-DDR5
RAM speed:	4800
safety:	TPM 2.0
SSD design:	M.2
SSD max. number:	1
SSD capacity (GB):	256
Ethernet connections:	2 x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
WLAN :	Optional / optional
Bluetooth :	optional / optional
Betriebssystem:	Optional
operating-system language version:	deutsch / english / italian
operating temperatur min.:	0°C
operating temperatur max.:	50°C
warranty:	24 Monate / 24 months

Link correlati a "W22IAD7T-GCA3"

- Avete domande relative a questo prodotto?
- Ulteriori prodotti di Winmate

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de

Download disponibili:

Download Drawing Panel-PC W22IAD7T-GCA3 250425.pdf

TL Electronic GmbH | Bgm.-Gradl-Str. 1 | 85232 Bergkirchen-Feldgeding

Tel.: +49 (0)8131 33204-0 | Fax: +49 (0)8131 33204-150 | E-Mail: info@tl-electronic.de