



Numero Ordine: 25150007

Campo testo libero 2: 15,6 Zoll Rugged Industrial Tablet, Intel Core i5-1235U, Windows 10 IoT Enterprise

Produttore: Winmate

Peso: 2.8 kg

M156AD

Prezzo su richiesta

Prezzi più IVA [più spese di spedizione](#)

Tempi di consegna: su richiesta

Informazione prodotto "M156AD"

Tablet PC for professional use Ruggedized Tablet in sturdy magnesium alloy housing with all-around elastomeric rubber Protection class IP65 all around incl. Interfaces Shock, vibration and drop protected (MIL-STD-810H) Multi-touch (PCAP) with Glove / Rain / Stylus modes Integrated multi-functional stand Wide range of options and accessories for data capture, communication, docking, mounting, power, peripherals and transportation The ideal partner for warehouse, logistics, automotive, outdoor, smart factory, field service etc. Long-term availability

article group specification:	2515
Manufacturer:	WM
Matchcode manufacturer:	nein
Manufacturer:	Winnate
series name:	Rugged Industrial Tablet PC
Manufacturer item number:	M156AD
mechanics:	Rugged Tablet PC
dimensions width:	38,77
dimensions height:	25,61
dimensions depth:	2,75
weight:	2,8
protection device:	IP65
colour:	Schwarz / black
cooling:	aktiv / fan cooling
Display-diagonal (inch):	15,6
resolution:	1920 x 1080
brightness:	800 cd/m²
contrast:	800:1
Display-Technology:	LCD, LED Backlight
Touch-Screen :	Projected Capacitive / Multi-Touch
usability:	Finger/ Handschuh/ finger/ glove

CPU Typ:	Core i5
CPU Model:	1235U
CPU speed:	3,3 GHz
CPU cores:	10
RAM size (MB):	8192
RAM max. Größe (MB):	65536
RAM Typ:	SO-DDR5
SSD design:	M.2
SSD capacity:	256
SSD number:	1
SSD number max.:	2
safety:	TPM 2.0
WLAN:	Optional / optional
Bluetooth:	Optional / optional
WWAN:	Optional / optional
Ethernet_connections:	2x RJ-45
Ethernet data transfer:	2 x Gigabit-LAN
Camera front:	Ja / yes
Camera front resolution:	2MP
Camera rear:	Ja / yes
Camera rear resolution:	8MP
Video:	2x HDMI 4K (optional)
USB:	3x USB 3.0 (Type A), 1x USB 3.0 (Type C)
LAN:	2x RJ45 - 10/100/1000 Mbps
Card Slot:	1x Micro SDXC Slot
Audio:	1x Audio Combo jack 3.5mm
operating system:	Windows 10 IoT Enterprise
operating temperatur min.:	-20°C
operating temperatur max.:	60°C
Shock:	MIL-STD-810H Method 516.8 Procedure I
Vibration:	MIL-STD-810H Method 514.8 Procedure I
Drop:	MIL-STD-810H Method 516.8, 3 ft
voltage input DC:	19 V/DC
external power supply:	19 V/DC, 100 - 240 V/AC, DC plug
battery:	2x 11.55V, 3220mAh Li-Ion Battery (3S1P)
battery Hot-Swap:	Ja / yes

Link correlati a "M156AD"

- [- Avete domande relative a questo prodotto?](#)
- [- Ulteriori prodotti di Winmate](#)

Download disponibili:

[Download Drawing Tablet-PC M156AD 250502.pdf](#)